



**BEST ELECTRO**  
**S U R G I C A L**



## Collection of Electro Surgical Instruments



📍 Adalat Garh, Tehsil & District  
Sialkot 51310 Pakistan  
+92-329-6320000  
✉ info@bestelectrosurgical.com  
🌐 www.bestelectrosurgical.com





**BEST ELECTRO**  
**S U R G I C A L**

-  Adalat Garh, Tehsil & District  
Sialkot 51310 Pakistan
-  +92-329-6320000
-  [info@bestelectrosurgical.com](mailto:info@bestelectrosurgical.com)
-  [www.bestelectrosurgical.com](http://www.bestelectrosurgical.com)

# Introduction

**Best Electro Surgical** family has manufactured high quality surgical, dental, manicure, and veterinary instruments to the world market for over a century. More than 30 years ago, **Best Electro Surgical** established its own sales and marketing facilities in the Pakistan. Through constant innovation, we continue to provide the highest quality instruments and unparalleled service to meet and exceed all of our customer's needs.

Our customer base spans across the Pakistan, as well as globally. Although we have an extensive customer base, we continue to treat each customer with individual attention. We are a smaller firm that deals direct with manufacturer and therefore can offer competitive pricing and take pride in giving a more personalized service. We view ourselves as an extension of your department and will go to great lengths to find the instruments you require. We will provide competitive pricing on any brand or manufacturer. We will do our best to work with your budget, and inventory any items upon request.

Among surgical, dental, manicure, and veterinary instruments, sell a variety of surgical, dental, manicure, and veterinary instruments here at **Best Electro Surgical**. We have handpicked some of the industry's top products designed to relieve pain, increase range of motion, and get people back on their feet as quick as possible. These products are used by physical therapists, occupational therapists, athletic trainers, chiropractors, and the average person daily all over the world.

We primarily distribute German manufactured, German stainless steel surgical, dental, manicure, and veterinary instruments. All instruments have a LIFETIME GUARANTEE on material workmanship.

Thanks and regards,

# Process of Instruments

**Steel** the quality of steel is very important in the production of quality instruments. The best you select the best you produce. In order to ensure the finest of quality steel, we have imported or best quality local steel as required by valued customers.

**Forging** is a process of cutting shaped raw instruments with the help of dies and hammers. Here, the skilled hands give life to the metal and give it the rudimentary shape that will go through series of complicated processes.

**Forging Inspection** at this stage, forged tools are checked to ensure no piece contains any cracks or is reshaped beyond acceptable limits. Checking the quality of raw instruments for: -  
a. Shape fault b. Broken

**Machining** in this process forging is cut or shaped by machines i.e. cutting sharp edges and raw material in the shape. Here instruments are given their shape through grinding and hammers. For this purpose, extremely skilled labor is required and this process is carried out by instrument specialists only.

**Milling** drilling of holes in the instruments where required for screws. Different kinds of screwing machines are used and instruments are made pairs here. Instruments with even the slightest difference in whole positions will suffer otherwise.

**Inspection** at this stage, all the instruments is inspected not only for machining and milling, but for every process they've been through. It's the stage where only best instruments are selected and instruments with tiny holes and manufacturing faults are again sorted out.

**Filling** at this stage the steel is not too hard so filling is used to shape the instruments in the exact shape they are required to be. The workers match the shape exactly with the samples provided at this stage. So the instruments get most of their shapes at this stage.

**Filling Inspection** after filling the inspection is made and measurements and shapes are checked according to samples.

**Binding and Temper** at this step the instruments are bound in groups of 12 pieces. Then they put them in temper machine, which is filled with a particular material. Here instruments are tempered and its ensured that every instrument get equal heat and treatment so a consistent quality would achieve.

**Snuffing Fitting** for scissors and forceps they are in two pieces so they are joined in this process with screw. Forceps (Tweezers) are joined before and their joint is leveled with a machine by burning the raw material on the joint. At the same stage, instruments are filled to eliminate welding suspensions.

**Plant or Heat Treatment** in this process the instruments are dipped in a material by hanging for five minutes to harden the material.

**Polishing** instruments is polished at this stage. Till this point at manufacturing stage, all the necessary shaping is done. Polishing makes every millimeter of instrument clear and any instrument with hidden defects are revealed could be sorted out.

# Process of Instruments

**Best Electro Surgical Inspection 2%** of each lot of instruments is checked by executives and then goes the further processing. In inspection they see each and every part and defective parts are marked with red marker and if rejected send to polishing again.

**Ultrasonic cleaning** in this process the instruments are dipped in two materials for cleaning the polish raw thing on it. One min. for first material and then for half min. for other material. Ultrasonic cleaning cleans any polishing material stuck and leaves the instrument crystal clear.

**Lubrication** all the instruments involving screws are lubricated at this step. Lubricating the instruments moveable portions facilitates the instrument movement.

**Tuck checking** In this process workers check the cuts and all other things just by viewing the instruments individually.

**Etching** putting each instrument on stamp pad and burning process to put stamp on each instrument. This stamping procedure is done through electronic etching machines that make the stamp reliable and even sustainable under high boiling temperatures when instruments are sterilized.

**Cleaning and Checking** instruments are cleaned and checked again one by one. Again it's the checking for operation, measurements, polish and usability.

**Best Electro Surgical Inspection 4 %** of the instruments is inspection by SSE Directors. Samples for inspection are taken randomly and are observed to every bit of detail. Even the slightest difference from acceptable standards could result in rejection of whole lot.

**Packing** in boxes each contains 100 pieces. 10 Boxes in an each Carton. Here instruments are packed with respect to sizes and types. Instruments boxes are properly labeled and stored in proper storing environment.

**Labeling** is put in this process.

**Storage** by lot and order number



# Table of Contents

01 European Bipolar Forceps .....	07
02 European Irrigation Bipolar Forceps .....	08
03 European Non-Stick Bipolar Forceps .....	08
04 Us Bipolar Forceps .....	11
05 Monopolar Forceps .....	17
06 Us Irrigation Bipolar Forceps .....	18
07 US Non-Stick Bipolar Forceps .....	19
08 Hand-Switch Bipolar Foreceps .....	21
09 Hand-Switch Monopolar Foreceps .....	22
10 Diathermy Instruments .....	23
11 Disposable Bipolar Forceps .....	25
12 OB/ Gyn Leep Instruments .....	27
13 OB/ Gyn Laser Surgery Instruments .....	30
14 Laparoscope & Arthsopice Electrode .....	32
15 Electro Surgical Pencil & Electrode .....	34
16 Electro Surgical Cable .....	39
17 Bipolar artery Sealer .....	42



BES-100  
McPherson



BES-101  
McPherson Ang.



BES-103  
Jeweller #5 Str



BES-104  
Jeweller #5 Ang




BES-105  
Jeweller #7



BES-106  
Adson

**Tip Chart**



Tip size can be changed as per your requirement, just add the following extensions  
fit tip size at the end of Ref #: TIP- Needle, 0.5, 0.7mm, 1.0mm, 1.5mm & 2.0mm

Ref	Item Name	Tip Size (mm)	Length Size (cm)
BES-100	McPherson	0.5	10.2
BES-102	McPherson Angled	0.5	10.2
BES-104	Jeweller #5	0.5, 0.7	11.5
BES-106	Jeweller #5 Angled	0.5, 0.7	11.5
BES-108	Jeweller #7	0.5, 0.7	11.5
BES-110	Adson	1.0	12.0
BES-112	Adson	1.0	15.0

BES-114  
Straight



BES-114-N  
Straight



BES-116  
Straight



BES-118  
Straight




BES-120  
Straight



BES-122  
Straight



### Tip Chart



Tip size can be changed as per your requirement, just add the following extensions fit tip size at the end of Ref #: TIP- Needle, 0.5, 0.7mm, 1.0mm, 1.5mm & 2.0mm

Ref	Item Name	Tip Size (mm)	Length Size (cm)
BES-114	Straight	0.5, 1.0, 2.0	15.0
BES-114-N	Straight	0.5, 1.0, 2.0	15.0
BES-116	Straight	0.5, 1.0, 2.0	18.0
BES-118	Straight	0.5, 1.0, 2.0	20.0
BES-120	Straight	0.5, 1.0, 2.0	22.0
BES-122	Straight	0.5, 1.0, 2.0	24.0

BES-124  
Straight Angled



BES-126  
Straight Angled



BES-128  
Straight Angled




BES-130  
Straight Angled



BES-132  
Straight Angled



### Tip Chart



Tip size can be changed as per your requirement, just add the following extensions  
fit tip size at the end of Ref #: TIP- Needle, 0.5, 0.7mm, 1.0mm, 1.5mm & 2.0mm

Ref	Item Name	Tip Size (mm)	Length Size (cm)
BES-124	Straight Angled	0.5, 1.0, 2.0	15.0
BES-126	Straight Angled	0.5, 1.0, 2.0	18.0
BES-128	Straight Angled	0.5, 1.0, 2.0	20.0
BES-130	Straight Angled	0.5, 1.0, 2.0	22.0
BES-132	Straight Angled	0.5, 1.0, 2.0	24.0

BES-134  
Bayonet



BES-134-N  
Bayonet



BES-136  
Bayonet



BES-138  
Bayonet




BES-140  
Bayonet



BES-142  
Bayonet



### Tip Chart



Tip size can be changed as per your requirement, just add the following extensions fit tip size at the end of Ref #: TIP- Needle, 0.5, 0.7mm, 1.0mm, 1.5mm & 2.0mm

Ref	Item Name	Tip Size (mm)	Length Size (cm)
BES-134	Bayonet	0.5, 1.0, 2.0	16.5
BES-134-N	Bayonet	0.5, 1.0, 2.0	16.5
BES-136	Bayonet	0.5, 1.0, 2.0	18.0
BES-138	Bayonet	0.5, 1.0, 2.0	20.0
BES-140	Bayonet	0.5, 1.0, 2.0	22.0
BES-142	Bayonet	0.5, 1.0, 2.0	24.0

BES-144  
Bayonet Angled Up



BES-146  
Bayonet Angled Up




BES-148  
Bayonet Angled Up



BES-150  
Bayonet Angled Up



BES-152  
Bayonet Angled Up



Tip size can be changed as per your requirement, just add the following extensions  
fit tip size at the end of Ref #: **TIP-** Needle, 05, 0.7mm, 1.0mm, 1.5mm & 2.0mm

Ref	Item Name	Tip Size (mm)	Length Size (cm)
BES-144	Bayonet Angled Up	0.5, 1.0, 2.0	16.5
BES-146	Bayonet Angled Up	0.5, 1.0, 2.0	18.0
BES-148	Bayonet Angled Up	0.5, 1.0, 2.0	20.0
BES-150	Bayonet Angled Up	0.5, 1.0, 2.0	22.0
BES-152	Bayonet Angled Up	0.5, 1.0, 2.0	24.0

BES-154  
Bayonet Angled Down



BES-156  
Bayonet Angled Down



BES-158  
Bayonet Angled Down




BES-160  
Bayonet Angled Down



BES-162  
Bayonet Angled Down



### Tip Chart



Tip size can be changed as per your requirement, just add the following extensions  
fit tip size at the end of Ref #: TIP- Needle, 0.5, 0.7mm, 1.0mm, 1.5mm & 2.0mm


Ref	Item Name	Tip Size (mm)	Length Size (cm)
BES-154	Bayonet Angled Down	0.5, 1.0, 2.0	16.5
BES-156	Bayonet Angled Down	0.5, 1.0, 2.0	18.0
BES-158	Bayonet Angled Down	0.5, 1.0, 2.0	20.0
BES-160	Bayonet Angled Down	0.5, 1.0, 2.0	22.0
BES-162	Bayonet Angled Down	0.5, 1.0, 2.0	24.0



BES-170-IR-N  
Bayonet Irrigation



BES-170-IR  
Bayonet Irrigation




BES-168-IR  
Bayonet Irrigation



BES-164-IR  
Straight Irrigation

BES-166-IR  
Straight Irrigation

**Tip Chart**



Tip size can be changed as per your requirement, just add the following extensions fit tip size at the end of Ref #: TIP- Needle, 0.5, 0.7mm, 1.0mm, 1.5mm & 2.0mm

Ref	Item Name	Tip Size (mm)	Length Size (cm)
BES-164-IR	Straight Irrigation	0.5, 1.0, 2.0	18.0
BES-166-IR	Straight Irrigation	0.5, 1.0, 2.0	20.0
BES-168-IR	Bayonet Irrigation	0.5, 1.0, 2.0	18.0
BES-170-IR	Bayonet Irrigation	0.5, 1.0, 2.0	20.0
BES-170-IR-N	Bayonet Irrigation	0.5, 1.0, 2.0	20.0

Note: More Bipolar Irrigation Forceps are available use IR extension to any regular bipolar forceps.

BES-172-NS  
McPherson



BES-174-NS  
McPherson Angled




BES-176-NS  
Jeweler # 5



BES-178-NS  
Jeweler # 5 Angled



BES-180-NS  
Adson



Tip size can be changed as per your requirement, just add the following extensions  
fit tip size at the end of Ref #: TIP- Needle, 0.5, 0.7mm, 1.0mm, 1.5mm & 2.0mm

Ref	Item Name	Tip Size (mm)	Length Size (cm)
BES-172-NS	McPherson	0.5,	10.2
BES-174-NS	McPherson Angled	0.5,	10.2
BES-176-NS	Jeweller #5	0.5, 0.7	11.5
BES-178-NS	Jeweller #5 Angled	0.5, 0.7	11.5
BES-180-NS	Adson	1.0	12.0

Note: More Non-Stick Bipolar Forceps are available use NS extension to any regular bipolar forceps.

BES-181-NS-N  
Straight



BES-182-NS-N  
Straight



BES-184-NS  
Straight




BES-186-NS  
Straight



BES-188-NS  
Straight



### Tip Chart



Tip size can be changed as per your requirement, just add the following extensions fit tip size at the end of Ref #: TIP- Needle, 05, 0.7mm, 1.0mm, 1.5mm & 2.0mm

Ref	Item Name	Tip Size (mm)	Length Size (cm)
BES-181-NS-N	Straight	0.5, 1.0, 2.0	15.0
BES-182-NS	Straight	0.5, 1.0, 2.0	15.0
BES-184-NS	Straight	0.5, 1.0, 2.0	18.0
BES-186-NS	Straight	0.5, 1.0, 2.0	20.0
BES-188-NS	Straight	0.5, 1.0, 2.0	22.0

Note: More Non-Stick Bipolar Forceps are available use NS extension to any regular bipolar forceps.

BES-190-NS  
Bayonet



BES-190-NS-N  
Bayonet




BES-192-NS  
Bayonet



BES-194-NS  
Bayonet



BES-196-NS  
Bayonet




Tip size can be changed as per your requirement, just add the following extensions fit tip size at the end of Ref #: **TIP-** Needle, 0.5, 0.7mm, 1.0mm, 1.5mm & 2.0mm

Ref	Item Name	Tip Size (mm)	Length Size (cm)
BES-190-NS	Bayonet	0.5, 1.0, 2.0	16.5
BES-190-NS-N	Bayonet	0.5, 1.0, 2.0	16.5
BES-192-NS	Bayonet	0.5, 1.0, 2.0	18.0
BES-194-NS	Bayonet	0.5, 1.0, 2.0	20.0
BES-196-NS	Bayonet	0.5, 1.0, 2.0	22.0


Note: More Non-Stick Bipolar Forceps are available use NS extension to any regular bipolar forceps.



BES-230  
McPherson




BES-230-N  
McPherson



BES-232  
McPherson Ang.




BES-234  
Coaptation



BES-236  
Coaptation



BES-238  
Coaptation



Tip size can be changed as per your requirement, just add the following extensions  
fit tip size at the end of Ref #: TIP- Needle, 0.5, 0.7mm, 1.0mm, 1.5mm & 2.0mm

Ref	Item Name	Tip Size (mm)	Length Size (cm)
BES-230	McPherson	0.5	10.2
BES-230-N	McPherson	0.5	10.2
BES-232	McPherson Angled	0.5	10.2
BES-234	Coaptation Nedler	0.5	10.2
BES-236	Coaptation	0.5	10.8
BES-238	Jeweller #5	Needle, 0.5	11.5



BES-240  
jeweler # 4



BES-242  
Tenzel




BES-246  
iris Straight



BES-244  
jeweler # 7




BES-248  
iris Angled




Tip size can be changed as per your requirement, just add the following extensions  
fit tip size at the end of Ref #: TIP- Needle, 0.5, 0.7mm, 1.0mm, 1.5mm & 2.0mm

Ref	Item Name	Tip Size (mm)	Length Size (cm)
BES-240	Jeweller #4	Needle, 0.5	11.5
BES-242	Tenzel	Needle, 0.5	10.2
BES-244	Jeweller #7	Needle, 0.5	11.5
BES-246	Iris Straight	Needle, 0.5	10.8
BES-248	Iris Angled	0.5, 1.0	10.8



### Tip Chart



Tip size can be changed as per your requirement, just add the following extensions fit tip size at the end of Ref #: **TIP-** Needle, 05, 0.7mm, 1.0mm, 1.5mm & 2.0mm

Ref	Item Name	Tip Size (mm)	Length Size (cm)
BES-250	Adson	1.0	12.0
BES-250-N	Adson	1.0	12.0
BES-252	Semkin	0.5, 1.0	14.0
BES-252-N	Semkin	0.5, 1.0	14.0
BES-254	Cushing	1.0, 1.5, 2.0	15.9
BES-256	Cushing	1.0, 1.5, 2.0	17.8




BES-258  
Cushing Gursh

BES-260  
Gerald Straight

BES-262  
Gerald Angled

BES-264  
Gerald Bayonet

**Tip Chart**




Tip size can be changed as per your requirement, just add the following extensions  
fit tip size at the end of Ref #: TIP- Needle, 0.5, 0.7mm, 1.0mm, 1.5mm & 2.0mm


Ref	Item Name	Tip Size (mm)	Length Size (cm)
BES-258	Cushing Gursh	1.0, 1.5, 2.0	17.8
BES-260	Gerald Straight	1.0, 1.5, 2.0	17.8
BES-262	Gerald Angled	1.0, 1.5, 2.0	17.8
BES-264	Gerald Bayonet	1.0, 1.5, 2.0	18.4



BES-266  
Jansen Bayonet




BES-268  
Jansen Bayonet



BES-270  
Jansen Bayonet




BES-272  
Malis



Tip size can be changed as per your requirement, just add the following extensions  
fit tip size at the end of Ref #: TIP- Needle, 0.5, 0.7mm, 1.0mm, 1.5mm & 2.0mm

Ref	Item Name	Tip Size (mm)	Length Size (cm)
BES-266	Jansen Bayonet	1.0, 1.5, 2.0	15.2
BES-268	Jansen Bayonet	1.0, 1.5, 2.0	17.8
BES-270	Jansen Bayonet	1.0, 1.5, 2.0	20.4
BES-272	Malis	1.0, 1.5, 2.0	17.8



BES-274  
Scoville-Greenwood




BES-276  
Yasargil



BES-278  
Hardy Bayonet



BES-280  
Hardy Bayonet Ang



Tip size can be changed as per your requirement, just add the following extensions  
fit tip size at the end of Ref #: TIP- Needle, 0.5, 0.7mm, 1.0mm, 1.5mm & 2.0mm

Ref	Item Name	Tip Size (mm)	Length Size (cm)
BES-274	Scoville-Greenwood	1.0, 1.5	19.1
BES-276	Yasargil	1.0, 1.5	19.7
BES-278	Hardy Bayonet	1.0, 1.5	21.6
BES-280	Hardy Bayonet Angled	1.0, 1.5	21.6

BES-282  
Jeweller # 4



BES-284  
Jeweller # 7



BES-286  
Adson



BES-288  
Potts-Smith



BES-292  
Potts-Smith




BES-294  
Jansen Bayonet



BES-296  
Jansen Bayonet



BES-302  
Jansen Bayonet UP



Tip size can be changed as per your requirement, just add the following extensions  
fit tip size at the end of Ref #: TIP- Needle, 0.5, 0.7mm, 1.0mm, 1.5mm & 2.0mm

Ref	Item Name	Tip Size (mm)	Length Size (cm)
BES-282	Jeweller # 4	Needle	11.5
BES-284	Jeweller # 7	Needle	11.5
BES-286	Adson	1.0	12.0
BES-288	Potts-Smith	2.0	17.8
BES-290	Potts-Smith	2.0	21.0
BES-292	Potts-Smith	2.0	24.1
BES-294	Jansen Bayonet	1.5	13.3
BES-296	Jansen Bayonet	1.5	15.9
BES-298	Jansen Bayonet	2.0	19.1
BES-300	Jansen Bayonet	2.0	21.0
BES-302	Jansen Bayonet UP	2.0	19.1
BES-304	Jansen Bayonet UP	2.0	21.0



BES-306-IR  
Hardy Bayonet



BES-308-IR  
Hardy Bayonet



BES-308-IR-N  
Jansen Bayonet




BES-310-IR  
Scoville-Greenwood



BES-312-IR  
Gerald Bayonet



BES-314-IR  
Straight



Tip size can be changed as per your requirement, just add the following extensions fit tip size of the end of Ref #: TIP- Needle, 0.5, 0.7mm, 1.0mm, 1.5mm & 2.0mm

Ref	Item Name	Tip Size (mm)	Length Size (cm)
BES-306-IR	Hardy Bayonet	0.5, 1.0, 1.5	21.6
BES-308-IR	Jansen Bayonet	0.5, 1.0, 1.5	19.1
BES-308-IR-N	Jansen Bayonet	0.5, 1.0, 1.5	19.1
BES-310-IR	Scoville-Greenwood	0.5, 1.0, 1.5	19.7
BES-312-IR	Gerald Bayonet	0.5, 1.0, 1.5	18.4
BES-314-IR	Straight	0.5, 1.0, 1.5	15.9

Note: More Irrigation Bipolar Forceps are available use IR extension to any regular bipolar forceps.



BES-316-NS-N  
McPherson



BES-316-NS  
McPherson



BES-318-NS  
McPherson Angle



BES-320-NS  
Jeweler # 5



BES-322-NS  
Adson




BES-324-NS  
Adson



BES-326-NS  
Semkin

### Tip Chart



Tip size can be changed as per your requirement, just add the following extensions fit tip size at the end of Ref #: **TIP-** Needle, 0.5, 0.7mm, 1.0mm, 1.5mm & 2.0mm

Ref	Item Name	Tip Size (mm)	Length Size (cm)
BES-316-NS	McPherson	0.5	10.2
BES-316-NS-N	McPherson	0.5	10.2
BES-318-NS	McPherson Angled	0.5	10.2
BES-320-NS	Jeweller #5	Needle, 0.5	11.5
BES-322-NS	Jeweller #4	Needle, 0.5	11.5
BES-324-NS	Adson	1.0	12.0
BES-326-NS	Semkin	0.5, 1.0	14.0

Note: More Non-Stick Bipolar Forceps are available use NS extension to any regular bipolar forceps.



BES-328-NS  
Cushing



BES-332-NS  
Gerald Bayonet



BES-334-NS  
Jansen Bayonet




BES-336-NS  
Scoville-Greenwood



BES-338-NS  
Yasargil



BES-340-NS  
Hardy Bayonet



Tip size can be changed as per your requirement, just add the following extensions fit tip size at the end of Ref #: **TIP-** Needle, 05, 0.7mm, 1.0mm, 1.5mm & 2.0mm

Ref	Item Name	Tip Size (mm)	Length Size (cm)
BES-328-NS	Cushing	1.0, 1.5, 2.0	15.9
BES-330-NS	Cushing	1.0, 1.5, 2.0	17.8
BES-332-NS	Gerald Bayonet	1.0, 1.5	18.4
BES-334-NS	Jansen Bayonet	1.0, 1.5	15.9
BES-336-NS	Scoville-Greenwood	1.0, 1.5	19.1
BES-338-NS	Yasargil	1.0, 1.5	19.7
BES-340-NS	Hardy Bayonet	1.0, 1.5	21.6

Note: More Non-Stick Bipolar Forceps are available use NS extension to any regular bipolar forceps.

BES-341-HS  
Jeweler # 4





BES-342-HS  
Semkin



BES-343-HS  
Jansen Bayonet



BES-344-HS  
Scoville-Greenwood



Tip size can be changed as per your requirement, just add the following extensions fit tip size at the end of Ref #: TIP- Needle, 05, 0.7mm, 1.0mm, 1.5mm & 2.0mm

Ref	Item Name	Tip Size (mm)	Length Size (cm)
BES-341-HS	Jeweller #4	0.5	11.5
BES-342-HS	Semkin	0.7	14.0
BES-343-HS	Jansen Bayonet	0.7	19.1
BES-344-HS	Scoville-Greenwood	1.5	19.7

BES-345-HS  
Jansen Bayonet



BES-346-HS  
Jansen Bayonet




BES-347-HS  
Potts-Smith



BES-348-HS  
Potts-Smith



**Tip Chart**



Tip size can be changed as per your requirement, just add the following extensions fit tip size at the end of Ref #: TIP- Needle, 0.5, 0.7mm, 1.0mm, 1.5mm & 2.0mm

Ref	Item Name	Tip Size (mm)	Length Size (cm)
BES-345-HS	Jansen Bayonet	2.0	19.0
BES-346-HS	Jansen Bayonet	2.0	21.0
BES-347-HS	Potts-Smith	2.0	21.0
BES-348-HS	Potts-Smith	2.0	24.0



Tuner Warwick Scissors (STR)  
**BES-350**



Tuner Warwick Scissors (CRV)  
**BES-352**



Dressing Scissors (STR)  
**BES-358**



Dressing Scissors (CRV)  
**BES-360**



Wilson Hay Forceps (STR)  
**BES-366**



Wilson Hay Forceps (CRV)  
**BES-368**



Artery Forceps (STR)  
**BES-374**



Artery Forceps (CRV)  
**BES-376**



Abbey Needle  
**BES-382**



Richie Forceps  
**BES-384**

### ENGLISH MONOPOLAR MALE 4.8MM CONNECTOR

Ref	Item Name	Tip Size (mm)	Length Size (cm)
BES-350	Tuner Warwick Scissors (STR)	-	17.8
BES-352	Tuner Warwick Scissors (CRV)	-	17.8
BES-354	Tuner Warwick Scissors (STR)	-	23.0
BES-356	Tuner Warwick Scissors (CRV)	-	23.0
BES-358	Dressing Scissors (STR)	-	17.8
BES-360	Dressing Scissors (CRV)	-	17.8
BES-362	Dressing Scissors (STR)	-	23.0
BES-364	Dressing Scissors (CRV)	-	23.0
BES-366	Wilson Hay Forceps (STR)	-	17.8
BES-368	Wilson Hay Forceps (CRV)	-	17.8
BES-370	Wilson Hay Forceps (STR)	-	23.0
BES-372	Wilson Hay Forceps (CRV)	-	23.0
BES-374	Artery Forceps (STR)	-	17.8
BES-376	Artery Forceps (CRV)	-	17.8
BES-378	Artery Forceps (STR)	-	23.0
BES-380	Artery Forceps (CRV)	-	23.0
BES-382	Abbey Needle	-	17.5
BES-384	Richie Forceps	-	17.8
BES-386	Richie Forceps	-	20.0
BES-388	Richie Forceps	-	23.0

### EUROPEAN MONOPOLAR FEMALE 4.0MM CONNECTOR

Ref	Item Name	Tip Size (mm)	Length Size (cm)
BES-390	Tuner Warwick Scissors (STR)	-	17.8
BES-392	Tuner Warwick Scissors (CRV)	-	17.8
BES-394	Tuner Warwick Scissors (STR)	-	23.0
BES-396	Tuner Warwick Scissors (CRV)	-	23.0
BES-398	Dressing Scissors (STR)	-	17.8
BES-400	Dressing Scissors (CRV)	-	17.8
BES-402	Dressing Scissors (STR)	-	23.0
BES-404	Dressing Scissors (CRV)	-	23.0
BES-406	Wilson Hay Forceps (STR)	-	17.8
BES-408	Wilson Hay Forceps (CRV)	-	17.8
BES-410	Wilson Hay Forceps (STR)	-	23.0
BES-412	Wilson Hay Forceps (CRV)	-	23.0
BES-414	Artery Forceps (STR)	-	17.8
BES-416	Artery Forceps (CRV)	-	17.8
BES-418	Artery Forceps (STR)	-	23.0
BES-420	Artery Forceps (CRV)	-	23.0
BES-422	Abbey Needle	-	17.5
BES-424	Richie Forceps	-	17.8
BES-426	Richie Forceps	-	20.0
BES-428	Richie Forceps	-	23.0



Adson  
**BES-430**



McINDOE  
**BES-432**



Gillies  
**BES-434**



Dissecting  
**BES-442**



Gerald  
**BES-450**



Adson Bayonet  
**BES-452**



Adson Bayonet UP  
**BES-456**



Remington Hobb  
**BES-462**

### ENGLISH MONOPOLAR MALE 4.8MM CONNECTOR

Ref	Item Name	Tip Size	Length Size
BES-430	Adson	1.0	12.0
BES-432	McINDOE	1.0, 2.0	15.0
BES-434	Gillies	-	15.0
BES-436	Gillies	-	17.8
BES-438	Gillies	-	20.0
BES-440	Gillies	-	24.0
BES-442	Dissecting	1.0, 2.0	15.0
BES-444	Dissecting	1.0, 2.0	17.8
BES-446	Dissecting	1.0, 2.0	21.0
BES-448	Dissecting	1.0, 2.0	24.1
BES-450	Gerald 1x2	-	17.8
BES-452	Adson Bayonet	1.0, 2.0	16.0
BES-454	Adson Bayonet	1.0, 2.0	19.1
BES-456	Adson Bayonet Angled UP	1.0, 2.0	16.0
BES-458	Adson Bayonet Angled UP	1.0, 2.0	19.1
BES-460	Adson Bayonet Angled UP	1.0, 2.0	21.0
BES-462	Remington Hobb	1.0, 2.0	24.1

### EUROPEAN MONOPOLAR FEMALE 4.0MM CONNECTOR

Ref	Item Name	Tip Size	Length Size
BES-364	Adson	1.0	12.0
BES-366	McINDOE	1.0, 2.0	15.0
BES-368	Gillies	-	15.0
BES-370	Gillies	-	17.8
BES-372	Gillies	-	20.0
BES-474	Gillies	-	24.0
BES-476	Dissecting	1.0, 2.0	15.0
BES-478	Dissecting	1.0, 2.0	17.8
BES-480	Dissecting	1.0, 2.0	21.0
BES-482	Dissecting	1.0, 2.0	24.1
BES-484	Gerald 1x2	-	17.8
BES-486	Adson Bayonet	1.0, 2.0	16.0
BES-488	Adson Bayonet	1.0, 2.0	19.1
BES-490	Adson Bayonet Angled UP	1.0, 2.0	16.0
BES-492	Adson Bayonet Angled UP	1.0, 2.0	19.1
BES-494	Adson Bayonet Angled UP	1.0, 2.0	21.0
BES-496	Remington Hobb	1.0, 2.0	24.1

### ENGLISH MONOPOLAR MALE 4.0MM CONNECTOR

Ref	Item Name	Tip Size	Length Size
BES-498	Adson	1.0	12.0
BES-500	McINDOE	1.0, 2.0	15.0
BES-502	Gillies	-	15.0
BES-504	Gillies	-	17.8
BES-506	Gillies	-	20.0
BES-508	Gillies	-	24.0
BES-510	Dissecting	1.0, 2.0	15.0
BES-512	Dissecting	1.0, 2.0	17.8
BES-514	Dissecting	1.0, 2.0	21.0
BES-516	Dissecting	1.0, 2.0	24.1
BES-518	Gerald 1x2	-	17.8
BES-520	Adson Bayonet	1.0, 2.0	16.0
BES-522	Adson Bayonet	1.0, 2.0	19.1
BES-524	Adson Bayonet Angled UP	1.0, 2.0	16.0
BES-526	Adson Bayonet Angled UP	1.0, 2.0	19.1
BES-528	Adson Bayonet Angled UP	1.0, 2.0	21.0
BES-530	Remington Hobb	1.0, 2.0	24.1

### MONOPOLAR WITHOUT CONNECTOR

Ref	Item Name	Tip Size	Length Size
BES-532	Adson	1.0	12.0
BES-534	McINDOE	1.0, 2.0	15.0
BES-536	Gillies	-	15.0
BES-538	Gillies	-	17.8
BES-540	Gillies	-	20.0
BES-542	Gillies	-	24.0
BES-544	Dissecting	1.0, 2.0	15.0
BES-546	Dissecting	1.0, 2.0	17.8
BES-548	Dissecting	1.0, 2.0	21.0
BES-550	Dissecting	1.0, 2.0	24.1
BES-552	Gerald 1x2	-	17.8
BES-554	Adson Bayonet	1.0, 2.0	16.0
BES-556	Adson Bayonet	1.0, 2.0	19.1
BES-558	Adson Bayonet Angled UP	1.0, 2.0	16.0
BES-560	Adson Bayonet Angled UP	1.0, 2.0	19.1
BES-562	Adson Bayonet Angled UP	1.0, 2.0	21.0
BES-564	Remington Hobb	1.0, 2.0	24.1



BES-570-DP  
Jeweler # 5



BES-572-DP  
Straight




BES-574-DP  
Bayonet



BES-576-DP  
Straight




BES-578-DP  
Straight Angled



Tip size can be changed as per your requirement, just add the following extensions  
fit tip size at the end of Ref #: TIP- Needle, 05, 0.7mm, 1.0mm, 1.5mm & 2.0mm

Ref	Item Name	Tip Size (mm)	Length Size (cm)
BES-570-DP	Jeweller #5 With 3m Cable	0.5	11.5
BES-572-DP	Straight With 3m Cable	1.0, 1.5	18.0
BES-574-DP	Bayonet With 3m Cable	1.0, 1.5	18.0
BES-576-DP	Straight	1.0, 1.5	18.0
BES-578-DP	Bayonet	1.0, 1.5	20.0

Note: More Disposable Bipolar Forceps are Available Use DP extension to any regular Bipolar Forceps.




BES-580-DP  
Gerald Straight

BES-582-DP  
Jansen Irrigation

BES-584-DP  
Jansen Bayonet

BES-586-DP  
Jeweler #5

BES-588-DP  
Adson



Tip size can be changed as per your requirement, just add the following extensions  
fit tip size at the end of Ref #: TIP- Needle, 0.5, 0.7mm, 1.0mm, 1.5mm & 2.0mm

Ref	Item Name	Tip Size (mm)	Length Size (cm)
BES-580-DP	US. Gerald	1.0, 1.5	17.8
BES-582-DP	US. Jansen Bayonet Irrigation	1.0, 1.5	19.1
BES-584-DP	US. Jansen Bayonet	1.0, 1.5	17.8
BES-586-DP	US. Jeweller #5	0.5	11.5
BES-588-DP	US. Adson	1.0	12.1

Note: More Disposable Bipolar Forceps are Available Use DP extension to any regular Bipolar Forceps.



Graves Vaginal Speculum  
*With Smoke Evacuation Tube*  
Small BES-600  
Medium BES-602  
Large BES-604

Disposable Tube



Small BES-606  
Medium BES-608  
Large BES-610



Pederson Vaginal Speculum  
*With Smoke Evacuation Tube*  
Small BES-612  
Medium BES-614  
Large BES-616

Disposable Tube



Small BES-618  
Medium BES-620  
Large BES-622



**VU-Max Grave Vaginal Speculum**  
*With Smoke Evacuation Tube*  
Medium **BES-624**  
Large **BES-626**

Disposable Tube



Medium **BES-628**  
Large **BES-630**



**VU-Max Pederson Vaginal Speculum**  
*With Smoke Evacuation Tube*  
Medium **BES-632**  
Large **BES-634**

Disposable Tube



Medium **BES-636**  
Large **BES-638**



Collin Vaginal Speculum  
*With Smoke Evacuation Tube*  
Small BES-640  
Medium BES-642  
Large BES-644



CUSCO Vaginal Speculum  
*With Smoke Evacuation Tube*  
Small BES-646  
Medium BES-648  
Large BES-650



Disposable Tube



Medium BES-656  
Large BES-658



4-Blades Speculum  
With Smoke Evacuation Tube  
Medium BES-660  
Large BES-662

VU-More Graves Vaginal Speculum  
With Smoke Evacuation Tube  
Medium BES-652  
Large BES-654



Disposable Tube



Medium BES-668  
Large BES-670



Disposable Tube



Medium BES-676  
Large BES-678

Weisman Vaginal Speculum  
Right Side Open  
With Smoke Evacuation Tube  
Medium BES-664  
Large BES-666

Weisman Vaginal Speculum  
Left Side Open  
With Smoke Evacuation Tube  
Medium BES-672  
Large BES-674



Lateral Retractor  
Wide Open  
BES-680



Rigby Retractor  
Wide Open  
BES-682



Gelpi Retractor  
Wide Open  
BES-684



Kogan Speculum  
3mm BES-686  
4mm BES-688  
5mm BES-690



Lateral Retractor  
21cm 22mmx75mm  
BES-692



Schroeder  
Tanaculum 24cm  
BES-694

Schroeder  
Tanaculum 24cm  
BES-696

Single Tooth  
Tanaculum 24cm  
BES-698

Campion  
Forceps 22 cm  
BES-700

Spong  
Forceps 22 cm  
BES-702

Dressing Forceps  
BES-704 21cm  
BES-706 25cm



Tissue Forceps  
BES-708 21cm  
BES-710 25cm



Iris Hook  
BES-712 25cm



Emmet Hook  
BES-714 25cm



Emmet Hook Straight  
BES-716 25cm



Emmet Hook Two Prong  
BES-718 25cm



Emmet Hook Three Prong  
BES-720 25cm





Graves Vaginal Speculum  
*With Smoke Evacuation Tube*  
Small BES-750  
Medium BES-752  
Large BES-754



Lateral Vaginal Speculum  
BES-766



Pederson Vaginal Speculum  
*With Smoke Evacuation Tube*  
Small BES-756  
Medium BES-758  
Large BES-760



Collin Vaginal Speculum  
*With Smoke Evacuation Tube*  
Small BES-762  
Medium BES-764  
Large BES-766

Kogan Endocervical Speculum




3mm BES-770



4mm BES-772



5mm BES-774



Rigby Retractor  
BES-778



Gelpi Retractor  
BES-776



Schroeder Tenaculum  
BES-780



Iris Hook  
BES-782



Emmet Hook  
BES-784



Emmet Hook Straight  
BES-786



Emmet Hook Two Prong  
BES-788



Emmet Hook Three Prong  
BES-790

Without Suction



L-Hook Electrode 36cm  
BES-800



J-Hook Electrode 36cm  
BES-802



Needle Electrode 36cm  
BES-804



Spectula Electrode 36cm  
BES-806



Ball Electrode 36cm  
BES-808



With Suction



L-Hook Electrode 36cm  
BES-810



J-Hook Electrode 36cm  
BES-812



Needle Electrode 36cm  
BES-814



Spectula Electrode 36cm  
BES-816



Ball Electrode 36cm  
BES-818




Dagger 12xm  
BES-820




Dagger 18cm  
BES-822



Hook 12cm  
BES-824



Hook 18cm  
BES-826



Hockey 12cm  
BES-828



Hockey 18cm  
BES-830



Frazier Suction Tube 11FR 13.5cm  
BES-832



Frazier Suction Tube 11FR 20.5cm  
BES-834



Frazier Suction Tube 11FR 40.6cm  
BES-836



Ball Electrode 36cm  
BES-818



Rocker Switch Pencil (Single Use)  
3m Cable BES-854



Foot Control Pencil (Single Use)  
3m Cable BES-856  
5m Cable BES-858



Finger Switch Pencil (Reusable)  
3m Silicon Cable BES-860



Electrode Handle (Reusable)  
3m Silicon Cable BES-862



Finger Switch Pencil (Single Use)  
3m Cable BES-850  
5m Cable BES-852



**Blade Electrode**  
Disposable: 381-900-S Reusable: 381-900-R



**Blade Electrode Crv**  
Disposable: 381-902-S Reusable: 381-902-R



**Needle Electrode**  
Disposable: 381-904-S Reusable: 381-904-R



**Needle Electrode Crv**  
Disposable: 381-906-S Reusable: 381-906-R



**Ball Electrode 2mm**  
Disposable: 381-908-S Reusable: 381-908-R



**Ball Electrode Crv 2mm**  
Disposable: 381-910-S Reusable: 381-910-R



**Ball Electrode 3mm**  
Disposable: 381-912-S Reusable: 381-912-R



**Ball Electrode 3mm Crv**  
Disposable: 381-914-S Reusable: 381-914-R



**Ball Electrode 4mm**  
Disposable: 381-916-S Reusable: 381-916-R



**Ball Electrode 4mm Crv**  
Disposable: 381-918-S Reusable: 381-918-R



**Ball Electrode 5mm**  
Disposable: 381-920-S Reusable: 381-920-R



**Ball Electrode 5mm Crv**  
Disposable: 381-922-S Reusable: 381-922-R



**Blade Electrode Shaft 13cm**  
Disposable: 381-924-S Reusable: 381-924-R



**Needle Electrode Shaft 13cm**  
Disposable: 381-926-S Reusable: 381-926-R



**Ball Electrode 3mm Shaft 13cm**  
Disposable: 381-928-S Reusable: 381-928-R



**Ball Electrode 5mm Shaft 13cm**  
Disposable: 381-930-S Reusable: 381-930-R



**Conization Electrode**  
Disposable: 381-932-S Reusable: 381-932-R



**Circle Loop Electrode 4mm**  
Disposable: 381-934-S Reusable: 381-934-R



**Circle Loop Electrode 6mm**  
Disposable: 381-936-S Reusable: 381-936-R



**Circle Loop Electrode 8mm**  
Disposable: 381-938-S Reusable: 381-938-R








**Diamond Electrode**  
Disposable: 381-940-S Reusable: 381-940-R







**Fine Needle Electrode**  
Disposable: 381-942-S Reusable: 381-942-R








					
Size	1.0x0.4cm	1.0x0.5cm	1.0x0.7cm	1.0x0.8cm	1.0x1.0cm
Disposable	381-944-S	381-946-S	381-948-S	381-950-S	381-952-S
Reusable	381-944-R	381-946-R	381-948-R	381-950-R	381-952-R




					
Size	1.0x0.5cm	1.0x0.7cm	1.0x0.8cm	1.0x1.0cm	1.0x1.5cm
Disposable	381-954-S	381-956-S	381-958-S	381-960-S	381-962-S
Reusable	381-954-R	381-956-R	381-958-R	381-960-R	381-962-R



						
Size	1.5x0.5cm	1.5x0.7cm	1.5x0.8cm	1.5x1.0cm	1.5x1.2cm	1.5x1.5cm
Disposable	381-964-S	381-966-S	381-968-S	381-970-S	381-972-S	381-974-S
Reusable	381-964-R	381-966-R	381-968-R	381-970-R	381-972-R	381-974-R



						
Size	2.0x0.8cm	2.0x1.0cm	2.0x1.2cm	2.0x1.3cm	2.0x1.5cm	2.0x2.0cm
Disposable	381-976-S	381-978-S	381-980-S	381-982-S	381-984-S	381-986-S
Reusable	381-976-R	381-978-R	381-980-R	381-982-R	381-984-R	381-986-R



Blade Electrode  
Disposable: 381-1000-S Reusable: 381-1000-R



Blade Electrode Crv  
Disposable: 381-1002-S Reusable: 381-1002-R



Needle Electrode  
Disposable: 381-1004-S Reusable: 381-1004-R



Needle Electrode Crv  
Disposable: 381-1006-S Reusable: 381-1006-R



Ball Electrode 2mm  
Disposable: 381-1008-S Reusable: 381-1008-R



Ball Electrode Crv 2mm  
Disposable: 381-1010-S Reusable: 381-1010-R



Ball Electrode 3mm  
Disposable: 381-1012-S Reusable: 381-1012-R



Ball Electrode 3mm Crv  
Disposable: 381-1014-S Reusable: 381-1014-R



Ball Electrode 4mm  
Disposable: 381-1016-S Reusable: 381-1016-R



Ball Electrode 4mm Crv  
Disposable: 381-1018-S Reusable: 381-1018-R



Ball Electrode 5mm  
Disposable: 381-1020-S Reusable: 381-1020-R



Ball Electrode 5mm Crv  
Disposable: 381-1022-S Reusable: 381-1022-R



Blade Electrode Shaft 13cm  
Disposable: 381-1024-S Reusable: 381-1024-R



Needle Electrode Shaft 13cm  
Disposable: 381-1026-S Reusable: 381-1026-R



Ball Electrode Shaft 3mm 13cm  
Disposable: 381-1028-S Reusable: 381-1028-R




Ball Electrode 4mm Shaft 13cm  
Disposable: 381-1030-S Reusable: 381-1030-R



Ball Electrode 5mm 13cm  
Disposable: 381-1032-S Reusable: 381-1032-R



Circle Loop Electrode 4mm 0.7cm  
Disposable: 381-1034-S Reusable: 381-1034-R



Circle Loop Electrode 6mm 0.7cm  
Disposable: 381-936-S Reusable: 381-936-R



Circle Loop Electrode 8mm 0.7cm  
Disposable: 381-1038-S Reusable: 381-1038-R



Circle Loop Electrode 10mm 0.7cm  
Disposable: 381-940-S Reusable: 381-940-R



Plate Electrode Small  
Disposable: 381-1042-S Reusable: 381-1042-R














Plate Electrode Large  
Disposable: 381-1044-S Reusable: 381-1044-R









					
Size	1.0x0.4cm	1.0x0.5cm	1.0x0.7cm	1.0x0.8cm	1.0x1.0cm
Disposable	381-1046-S	381-1048-S	381-1050-S	381-1052-S	381-1054-S
Reusable	381-1046-R	381-1048-R	381-1050-R	381-1052-R	381-1054-R









					
Size	1.0x0.5cm	1.0x0.7cm	1.0x0.8cm	1.0x1.0cm	1.0x1.5cm
Disposable	381-1056-S	381-1058-S	381-1060-S	381-1062-S	381-1064-S
Reusable	381-1056-R	381-1058-R	381-1060-R	381-1062-R	381-1064-R



						
Size	1.5x0.5cm	1.5x0.7cm	1.5x0.8cm	1.5x1.0cm	1.5x1.2cm	1.5x1.5cm
Disposable	381-1066-S	381-1068-S	381-1070-S	381-1072-S	381-1074-S	381-1076-S
Reusable	381-1066-R	381-1068-R	381-1070-R	381-1072-R	381-1074-R	381-1076-R



						
Size	2.0x0.8cm	2.0x1.0cm	2.0x1.2cm	2.0x1.3cm	2.0x1.5cm	2.0x2.0cm
Disposable	381-1078-S	381-1080-S	381-1082-S	381-1084-S	381-1086-S	381-1088-S
Reusable	381-1078-R	381-1080-R	381-1082-R	381-1084-R	381-1086-R	381-1088-R



Bipolar Cable  
Instruments Connector: USA 2-Pin Plug  
Generator Connector: 4mm Banana Plug  
Reusable Silicon 3m Cable BES-1100  
Single Use 3m Cable BES-1102



Bipolar Cable  
Instruments Connector: European Flat Plug  
Generator Connector: 4mm Banana Plug  
Reusable Silicon 3m Cable BES-1104  
Single Use 3m Cable BES-1106



Bipolar Cable  
Instruments Connector: USA 2-Pin Plug  
Generator Connector: Pin Distance 29mm  
Reusable Silicon 3m Cable BES-1112  
Single Use 3m Cable BES-1114



Bipolar Cable  
Instruments Connector: European Flat Plug  
Generator Connector: Pin Distance 29mm  
Reusable Silicon 3m Cable BES-1108  
Single Use 3m Cable BES-1110



Bipolar Cable  
Instruments Connector: Bipolar Artery Sealer  
Generator Connector: 4mm Banana Plug  
Reusable Silicon 3m Cable BES-1116



European Bipolar Cable  
Instruments Connector: European Flat Plug  
Generator Connector: Martin Type  
Reusable Silicon 3m Cable BES-1118



US Bipolar Cable  
Instruments Connector: USA 2-Pin Plug  
Generator Connector: Martin Type  
Reusable Silicon 3m Cable BES-1120



European Bipolar Cable  
Instruments Connector: European Flat Plug  
Generator Connector: Erbe Type  
Reusable Silicon 3m Cable BES-1122



US Bipolar Cable  
Instruments Connector: USA 2-Pin Plug  
Generator Connector: Erbe Type  
Reusable Silicon 3m Cable BES-1124



Bipolar Cable  
Instruments Connector: Ethicon  
Generator Connector: 4mm Banana Plug  
Reusable Silicon 3m Cable BES-1126



Monopolar Cable  
Instruments Connector: Screw Type  
Generator Connector: Standard Bovie 8mm Plug  
Reusable Silicon 3m Cable BES-1128



Monopolar Cable  
Instruments Connector: 4mm Female Fitting  
Generator Connector: Standard Bovie 8mm Plug  
Reusable Silicon 3m Cable BES-1130



Monopolar Endoscopic Cable  
Instruments Connector: 4mm Female Fitting  
Generator Connector: 4mm Banana Plug  
Reusable Silicon 3m Cable BES-1132



Diathermy Cable  
Instruments Connector: 4mm Male Fitting  
Generator Connector: 4mm Banana Plug  
Reusable Silicon 3m Cable BES-1134



Diathermy Cable  
Instruments Connector: 4.8mm Female Fitting  
Generator Connector: 4mm Banana Plug  
Reusable Silicon 3m Cable BES-1136



Diathermy Cable  
Instruments Connector: 4.8mm Female Fitting  
Generator Connector: Stan. Bovie 8mm Plug  
Reusable Silicon 3m Cable BES-1138

- BES-1150 Artery Sealer 6.5"
- BES-1152 Artery Sealer 7.5"
- BES-1154 Artery Sealer 8.5"
- BES-1156 Artery Sealer 9.5"
- BES-1158 Artery Sealer 10.5"



- BES-1160 Non-Stick Artery Sealer 6.5"
- BES-1162 Non-Stick Artery Sealer 7.5"
- BES-1164 Non-Stick Artery Sealer 8.5"
- BES-1166 Non-Stick Artery Sealer 9.5"
- BES-1168 Non-Stick Artery Sealer 10.5"





**BEST ELECTRO**  
S U R G I C A L



- 📍 Adalat Garh, Tehsil & District  
Sialkot 51310 Pakistan
- ☎️ +92-329-6320000
- ✉️ [info@bestelectrosurgical.com](mailto:info@bestelectrosurgical.com)
- 🌐 [www.bestelectrosurgical.com](http://www.bestelectrosurgical.com)